



Size:

38cm x26cm x16.8cm (open)

38cm x26cm x4cm (when folded)

Max load: 150kg

Complies with EN14183

INSTRUCTIONS FOR USE:

To open

Locate and push down pin underneath and release. Move leg until bottom pin engages with the top hole. Reverse these instructions to close.

Before use

- Ensure that you are fit enough to use a step stool. Certain medical conditions or medication, alcohol or drug abuse could make step stool use unsafe;
- When transporting step stools on roof bars or in a truck, ensure they are suitably placed to prevent damage;
- Inspect the step stool after delivery and before first use to confirm condition and operation of all parts;
- Visually check the step stool is not damaged and is safe to use at the start of each working day when the step stool is to be used;
- Ensure the step stool is suitable for the task;
- Do not use a damaged step stool;
- Remove any contamination from the step stool, such as wet paint, mud, oil or snow;
- For domestic use only.

Positioning and erecting the step stool

- Locking devices, if fitted, shall be fully secured before use;
- Step stool shall be on an even, level and unmoveable base;
- Step stool shall never be repositioned from above;
- When positioning the step stool take into account risk of collision with the step stool e.g. from pedestrians, vehicles or doors. Secure doors (not fire exits) and windows where possible in the work area;
- Identify any electrical risks in the work area, such as overhead lines or other exposed electrical equipment;
- Step stool shall not be positioned on slippery surfaces (such as ice, shiny surfaces or significantly contaminated solid surfaces) unless additional effective measures are taken to prevent the step stool slipping or ensuring contaminated surfaces are sufficiently clean.

Using the step stool

- Do not exceed the maximum load for the type of step stool;
- Do not over reach.

- c) Do not use step stool for access to another level;
- d) Step stool should only be used for light work or short duration;
- e) Use non-conductive step stool for unavoidable live electrical work;
- f) Take precautions against children playing on the step stool;
- g) Secure doors (not fire exits) and windows where possible in the work area;
- h) Face the step stool when ascending and descending;
- i) Do not use the step stool as a bridge;
- j) Wear suitable footwear when climbing a step stool;
- k) Avoid excessive side loadings e.g. drilling brick and concrete;
- l) Do not spend long periods on a step stool without regular breaks (tiredness is a risk);
- m) Equipment carried while using a step stool should be light and easy to handle;
- n) Avoid work that imposes a sideways load on step stools, such as side-on-drilling through solid materials (e.g. brick or concrete).

Repairs

Repairs shall be carried out by a competent person. Please contact the producer before repairing the step stool. Do not use a damaged step stool.

Maintenance

- a) Cleaning the step stool
The step stool can be cleaned using water with a commercial cleaner added.
Paint can be removed with turpentine.
ATTENTION Cleaning agents must not get into the ground, used cleaning fluids must be disposed of in accordance with applicable environmental legislation.
- b) Lubrication of moving parts
Lubricate all moving parts with commercial oil. Use a thin oil in winter.
ATTENTION Wipe off any excess oil. The oil must not get on the walking areas – danger of slipping.
Dispose of oil-soaked cleaning cloths in accordance with valid environmental legislation.

Storage

- a) Store step stool in a safe and dry place.
- b) Properly secure and support step stool while in transit.
- c) Never store materials on the stool.
- d) Keep stool clean and free of foreign materials.

DISPOSAL

- Dispose of all packaging, paper, cartons, plastic and plastic bags in accordance with your local recycling regulations.
- At the end of the product's lifespan please dispose of it at an authorised household WEEE waste recycling centre.