
Please read and retain these instructions for future reference

v001: 11/06/19



Power Details: Adaptor: Input: 230V A.C./output 6V A.C. 600mA

Please read this instruction manual thoroughly before starting and ensure you are familiar with the operation of your new Silver Battery Machine.

Caution:

Do not place directly onto delicate or soft surfaces to avoid stains.

Charging Indicators:

- 1. When connected to the mains and no battery is fitted, the indicator lamps of all six positions will flash
- 2. When an empty battery is inserted in any one of the positions, the corresponding indicator lamps will flash red.
- 3. When the battery is close to be fully charged, the corresponding indicator lamp of the position will flash between green and red. The duration of this state will vary for different battery capacity and type.

When batteries are fully charged, the corresponding indicator lamps will flash green.

Note: When the indicator lamp for the position turns from red to green and ambient temperature <25, continue charging for 2-4 hours to make sure batteries are fully charged. However do not exceed a maximum of 4 hours. (Batteries will not be damaged if charging continues after the indicator lamp turns from red to green as long as extra charging does not exceed 4 hours).

The alarm will sound if there is an error such as faulty battery, short circuit or if batteries are incorrectly inserted.

> Tel: 0844 482 4400* Fax: 01279 756 595 www.coopersofstortford.co.uk

Silver Battery Machine

F937

Instructions for Use

Please read and retain these instructions for future reference

v001: 11/06/19

Suitable Battery Type:

The four 1.2V positions will charge different sizes of battery, 1.2V Ni-Cd, NI-MH, and rechargeable alkaline batteries. The 12V position will charge 12V rechargeable batteries only. The 9V positions will charge 9V rechargeable batteries only.

Note: The charger can also charge disposable battery (non-rechargeable type) such as alkaline, zinc carbon, high power battery for emergency use. However, the charging effect is limited, so the user should not attempt to charge this type of battery frequently. If recharging non-rechargeable types, please ensure that the battery is removed from the unit when the battery is fully charged, (when the lamp flashes green.)

Position Protection:

Each position (channel) has built in special protection, when problems such as short circuit, reverse polarity or damaged batteries are fitted, the charger will automatically detect and identify that a problem exists. When any one position has a problem, an audible warning will sound, warning the user to check the battery or battery placement for possible causes, at the same time, the current of all positions except 9V and 12V will be cut off. Once the cause of the problem has been eliminated (damaged batteries are removed or batteries are properly positioned into the charger), the alarm will stop and the four 1.2V positions will resume original charging state.

IMPORTANT SAFETY INSTRUCTIONS

- The most suitable environment for charger working: ambient temperature: 0-25, ambient humidity <80%. (Do not operate the charger in high ambient temperature or high humidity). The temperature of batteries should not exceed 45 during charging. (Exceeding these conditions could result in a shortened battery life, and or exploding batteries.)
- Make sure that the charger lid is in the closed position during the charging sequence.
- Make sure the adaptor is compatible with UK voltage.
- If the adaptor is damaged, replace it with one having the same technical specification as the original. (Input: AC 230V/output: AC 6V 600mA).
- Keep children away from the adaptor/charger when in use.
- Keep away from water, and sources of heat when the charger is working.
- Remove batteries as soon as charging is complete.
- Remove the plug from the wall socket after charging is complete and before removing the batteries from the charger.
- Make sure to remove ordinary batteries when the LED turns to green.
- There are no user serviceable parts, please return to your supplier if a fault occurs.

Please retain these instructions for future reference.

TECHNICAL SPECIFICATION AND FEATURES

(Test condition: ambient temperature: 20±5, ambient humidity: 65±20%)

1. Adaptor: Input:

AC230V/ output: AC6V 600mA



F937

Instructions for Use

Please read and retain these instructions for future reference

v001: 11/06/19

2. Charging positions:

Total six positions; include four 1.2V positions, one 9V position and one 12V position. The four 1.2V positions operate on one charging system; the 9V position and 12V position operate on another. The two systems work independently. However when charging, each position works independently.

3. Charging current:

- 1.2V positions: charging initiates with an impulse current. When the voltage of the battery is 1.1V, current for this position is not less than 300mA. When the indicator lamp changes to green, the charger will automatically switch to a trickle charge current <100mA.
- 9V position: charging initiates with normal current and current for the position <30mA. When the indicator lamp changes to green, the charger will automatically switch to a trickle charge current <5mA.
- 12V position: charging initiates with normal current and current for the position <20mA. When the indicator lamp changes to green, the charger will automatically switch to a trickle charge current <5mA.

4. Fully Charged time for this charger:

Note: times for different capacity, type and brand of batteries will vary. User should check the indicator lamp state to determine battery-charging status.

Note: 1.2V are standard rechargeable batteries, the item can be used to refresh standard 1.5V non-rechargeable batteries.

The following tables can be used as a guide for charging times:

1) 1.2V positions (example: Ni-MH battery)

Ni-MH Battery capacity	Fully charged time (hours)
(mAh)	
750	7
1300	12
1800	16.5
2) 9V position (example: Ni-MH battery)	
Ni-MH Battery capacity	Fully charged time (hours)
(mAh)	
210	16
3) 12V position	
Rechargeable battery capacity	Fully charged time (hours)
(mAh)	
60	6.5

Above charge times shown in the tables are approximate and to be used only as a guide.

WARNINGS AND SAFETY INSTRUCTIONS:

WHEN USING ELECTRICAL APPLIANCES, BASIC SAFETY PRECAUTIONS SHOULD ALWAYS BE FOLLOWED:

- READ ALL INSTRUCTIONS BEFORE USE.
- FOR DOMESTIC INDOOR USE ONLY.

Head Office, 11 Bridge Street,
Bishop's Stortford CM23 2JU
Tel: 0844 482 4400*
Fax: 01279 756 595
www.coopersofstortford.co.uk

Instructions for Use

Please read and retain these instructions for future reference

v001: 11/06/19

- DO NOT USE OUTDOORS OR FOR COMMERCIAL USE.
- ONLY USE WITH THE MAINS ADAPTOR/CHARGER SUPPLIED.
- **DO NOT** USE ANY OTHER MAINS ADAPTOR/CHARGER AS THIS MAY CAUSE DAMAGE AND INVALIDATES ANY WARRANTY YOU MAY HAVE.
- BEFORE USE, CHECK THOROUGHLY FOR ANY DEFECTS AND DO NOT USE IF DEFECTS ARE FOUND.
 TAKE CARE NOT TO DROP THE APPLIANCE AS HEAVY IMPACTS MAY CAUSE INTERNAL DAMAGE.
- BEFORE CONNECTING THE APPLIANCE, CHECK IF THE VOLTAGE INDICATED ON THE BOTTOM OF THE APPLIANCE IS IN ACCORDANCE WITH THE MAINS VOLTAGE IN YOUR HOME.
- CHECK THE APPLIANCE AND POWER CABLE CAREFULLY FOR DAMAGE BEFORE EACH USE.
- THIS APPLIANCE CAN BE USED BY CHILDREN AGED FROM 8 YEARS AND ABOVE, AND PERSONS WITH REDUCED PHYSICAL, SENSORY OR MENTAL CAPABILITIES OR LACK OF EXPERIENCE AND KNOWLEDGE IF THEY HAVE BEEN GIVEN SUPERVISION OR INSTRUCTION CONCERNING USE OF THE APPLIANCE IN A SAFE WAY AND UNDERSTAND THE HAZARDS INVOLVED. CHILDREN SHALL NOT PLAY WITH THE APPLIANCE. CLEANING AND USER MAINTENANCE SHALL NOT BE MADE BY CHILDREN WITHOUT SUPERVISION.
- CHILDREN OF LESS THAN 3 YEARS SHOULD BE KEPT AWAY UNLESS CONTINUOUSLY SUPERVISED.
- SOME PARTS OF THIS PRODUCT CAN BECOME VERY HOT AND CAUSE BURNS. PARTICULAR ATTENTION HAS TO BE GIVEN WHERE CHILDREN AND VULNERABLE PEOPLE ARE PRESENT.
- THE USE OF ANY ACCESSORY OR ATTACHMENTS NOT RECOMMENDED BY COOPERS OF STORTFORD MAY CAUSE INJURIES AND INVALIDATE ANY WARRANTY YOU MAY HAVE.
- DO NOT LET THE POWER CABLE HANG OVER THE EDGE OF A TABLE OR COUNTER, OR TOUCH HOT SURFACES.
- DO NOT PLACE ON OR NEAR HEAT SOURCES.
- USE ON A LEVEL, STABLE SURFACE.
- DO NOT COVER THE ITEM IN ANY WAY WHEN IN USE AS THIS MAY CAUSE OVERHEATING.
- DO NOT USE THIS APPLIANCE FOR ANY OTHER USE THAN THE INTENDED USE IT IS DESIGNED FOR.
- ENSURE THERE IS SUFFICIENT DISTANCE BETWEEN THIS APPLIANCE AND OTHER ITEMS ON THE
 WORK SURFACE OR WORK STATION, OR SUFFICIENT DISTANCE BETWEEN THE APPLIANCE AND THE
 CONFINES OF THE AREA IN WHICH IT IS SITUATED. WE RECOMMEND A MINIMUM CLEARANCE
 AROUND ALL FACES OF AT LEAST 10CM.
- KEEP ITEM AT LEAST 1M AWAY FROM COMBUSTIBLE MATERIAL SUCH AS FURNITURE, CUSHIONS, BEDDING, PAPER, CLOTHES, CURTAINS ETC.
- TO PROTECT AGAINST ELECTRIC SHOCK, DO NOT IMMERSE POWER CABLE, MAINS ADAPTOR/ CHARGER OR APPLIANCE, IN WATER OR ANY OTHER LIQUID.
- UNPLUG FROM OUTLET WHEN NOT IN USE AND BEFORE CLEANING.
- DO NOT OPERATE ANY APPLIANCE WITH A DAMAGED POWER CABLE OR MAINS ADAPTOR/ CHARGER OR AFTER THE APPLIANCE MALFUNCTIONS, OR HAS BEEN DAMAGED IN ANY MANNER. WE RECOMMEND THAT THE POWER CABLE IS NOT KINKED OR STORED IN A TWISTED MANNER, AND THAT YOU REGULARLY CHECK ITS CONDITION.
- ANY REPAIRS MUST BE CONDUCTED BY A QUALIFIED ELECTRICIAN OR ELECTRICAL SERVICE AGENT.

PLUG WIRING (UK & IRELAND)

This appliance is supplied with a mains adaptor/charger with BS1363 plug pins.

DO NOT use if the socket outlets in your home or office are not suitable for this product's mains adaptor/charger plug pins. Attempts to insert the mains adaptor/charger into the wrong socket is likely to cause electric hazard or damage.

DO NOT use with any other mains transformer/charger than the one that is supplied with this product.

Head Office, 11 Bridge Street,
Bishop's Stortford CM23 2JU
Tel: 0844 482 4400*
Fax: 01279 756 595
www.coopersofstortford.co.uk

Silver Battery Machine

F937

Instructions for Use

Please read and retain these instructions for future reference

v001: 11/06/19

CARE AND CLEANING INSTRUCTIONS

- Always switch off and unplug before cleaning.
- Do NOT immerse in water. Risk of electric shock.
- Do NOT use abrasive cleaners or sharp utensils to clean this appliance.
- Wipe surfaces with a soft dry cloth.
- Allow to dry thoroughly before further use.
- Store the appliance in a cool, dry place.

DISPOSAL

- Dispose of all packaging, paper, cartons and plastic and plastic bags in accordance with your local recycling regulations.
- At the end of the product's lifespan please dispose of it at an unauthorised household WEEE waste recycling centre.



