

Ergo Table Assembly Instructions

You will receive 2 x Leg Assemblies, 1 x Stretcher Assembly, 1 x Table Top Assembly and 14 x 3-inch screws

Fix the stretcher assembly between the leg assemblies as shown on the image below



- 1) Fix 2 screws through the angled brace at each end and into the leg assembly as indicated by the lighter arrows.
- 2) Fix 2 screws through the leg assemblies and into the bottom stretcher bar as shown by the darker arrows.



- 3) Lift the table top onto the table base assembly as shown and position it so that the hole in the table top lines up with the hole in the stretcher.
- 4) Fix 3 screws through each of the 2 x 2 batons on the underside of the table top and into the leg assemblies as shown by the arrows.

PRODUCT INFORMATION– PLEASE READ

Thank you for making the decision to purchase our eco-friendly garden products.

When first delivered your item may appear to look slightly green in colour. This is due to the Tanalith-E treatment which the wood has been pressure treated with and is evidence of thorough treatment. The green tint will fade as the treatment fully settles and the furniture is exposed to the elements. There may be residue of the treatment in a dry form around the knots which can be easily wiped off with a cloth or stiff brush. This will not affect the efficiency of the treatment.

We made the decision to have our furniture pressure treated as it is the best possible way to ensure that you will get maximum life out of your garden furniture. The pressure treatment process can protect the timber against rot for as long as 15 years which means that we are manufacturing responsibly and showing care for the environment. However, during the pressure treatment process some of the natural oils and resins are removed from the timber during the vacuum and pressure treating stages, and replaced with the Tanalith-E treatment. This means that the timber can be more prone to splits and cracks than non-treated timber. During hot or dry spells, the grain can open and splits or cracks may appear along the grain lines, this is of no detriment whatsoever to the longevity of the product and is a completely natural characteristic due to wood being a natural product. When the weather is damp or humid then the timber will absorb moisture from the air, the grain will swell, and the splits or cracks will lessen or disappear. Your timber product does not need further preservative treatment to stop it from deteriorating, however, we do advise that it is coated on all surface areas with a garden furniture oil or wood protective treatment soon after delivery, and then annually to moisturise and weather proof the timber and help to protect against UV damage.