Please read and retain these instructions for future reference

v002: 30/1/18



**DUAL SENSOR LIGHT** 

Power Details: 4 x AA Batteries (not included)

## **BATTERY INSTALLATION**

- 1. Remove the battery cover (located on the opposite side of the LED lights) from back using a small Phillips head screwdriver.
- 2. Insert 4xAA batteries (not included) as indicated inside the battery compartment and replace the battery compartment and screw.


# INSTALLATION INSTRUCTIONS

1. Determine the exact location where you want to install the light fixture.

\*Two different installation options are provided, it is recommended to use the standard installation wherever possible

## STANDARD INSTALLATION

- 1. Prepare area where you what to mount the light unit, clearing any loose debris, and ensuring that you have adequate space to mount the light before drilling any holes. There needs to be a small space left above the unit so that it can be hooked over the screws.
- 2. Mark where you want the two screws to be mounted, they should be 57mm apart and level.



- 3. Drill pilot holes using a 1.5mm drill bit to a depth of 19mm.
- 4. If you hit a wall stud, or are fixing to a wooden surface, use only the supplied screws to install the
- 5. If the wall is hollow or you are drilling into masonry using the pilot holes as guide, drill again using a 6.5mm drill bit and insert a wall anchor into each hole. Tap each wall anchor lightly with a hammer, until they are flush with the wall surface.
- 6. Thread a screw into each hole (or wall anchor if used) leaving 3.5mm of the screw unthreaded, to secure the light fixture.
- 7. Match the holes on the base of the light fixture (narrow end of holes facing upwards) with the screw heads and slide downward to secure the light fixture.

Please read and retain these instructions for future reference

v002: 30/1/18

# **DOUBLE SIDED ADHESIVE STRIP INSTALLATION (INCLUDED)**

- 1. Choose a smooth surface for best adhesion and wipe clean.
- 2. Peel one side of the adhesive strip and apply to the base of the light. For best results, place the adhesive strip in a triangle shape around the base.
- 3. Peel the other side of the adhesive strips and press the light fixture firmly against the smooth surface.

NOTE – For ease of access it is recommended to mount using the standard installation. Using the adhesive strips instead of the standard installation you are limiting access to the battery compartment, and it would be necessary to un-mount the unit to gain access. Therefore please ensure that the surface you are using will not be damaged when the unit is removed with the adhesive strip. To reattach you will need new adhesive tape, not supplied.

### **OPERATION**

- 1. Slide the ON/OFF switch (located on the side of the sensor light) to the ON position (A).
- 2. Each light fixture may be adjusted to provide lighting in various directions. The swivel base of each light rotates 360° and each lamp angle adjusts 180° to provide light where desired.
- 3. The motion sensor (located below then LED lights) will detect motion within 90° (up to 5m/16 feet distance).
- 4. When motion is detected the LED lights will turn ON. The LED lights will automatically turn OFF after approximately 20 seconds, if motion is no longer detected.



## **EXAMPLES OF USE**





Head Office, 11 Bridge Street, Bishop's Stortford CM23 2JU Tel: 0844 482 4400\* Fax: 01279 756 595 www.coopersofstortford.co.uk



Please read and retain these instructions for future reference

v002: 30/1/18

#### **SAFETY INSTRUCTIONS:**

- READ ALL INSTRUCTIONS BEFORE USE.
- CHECK THE APPLIANCE CAREFULLY FOR DAMAGE BEFORE EACH USE.
- THE USE OF ANY ACCESSORY OR ATTACHMENTS NOT RECOMMENDED BY COOPERS OF STORTFORD MAY CAUSE INJURIES AND INVALIDATE ANY WARRANTY YOU MAY HAVE.
- DO NOT PLACE NEAR OR ABOVE HEAT SOURCES.
- DO NOT COVER THE ITEM IN ANY WAY WHEN IN USE AS THIS MAY CAUSE OVERHEATING.
- DO NOT USE THIS APPLIANCE FOR ANY OTHER USE THAN THE INTENDED USE AS IT IS DESIGNED FOR.
- BEFORE USE, CHECK THOROUGHLY FOR ANY DEFECTS AND DO NOT USE IF DEFECTS ARE FOUND. TAKE CARE NOT TO DROP THE APPLIANCE AS HEAVY IMPACTS MAY CAUSE INTERNAL DAMAGE.
- KEEP OUT OF REACH OF CHILDREN.

#### **CARE AND CLEANING INSTRUCTIONS**

- Check regularly that the installation of the Dual Sensor Light is secure.
- Always switch off and unplug before cleaning or replacing batteries.
- Wipe surfaces with a soft dry cloth.
- Store the unit in a cool, dry place when not in use.

### **BATTERIES**

- Keep batteries away from children and pets.
- Do not mix used and new batteries.
- Remove the batteries if left for long periods.
- Never dispose of batteries in a fire.
- Battery disposal, spent or expired batteries must be properly disposed of and recycled in compliance with local regulations. For detailed information, contact your local authority.
- Follow the battery manufacturer's safety, usage, and disposal instructions.

### **DISPOSAL**

- Dispose of all packaging, paper, cartons, plastic and plastic bags in accordance with your local recycling regulations.
- At the end of the product's lifespan please dispose of it at an authorised household WEEE waste recycling centre.

